









Item No.	Photo	Decription	Dimension	
<b>CSF36</b>		36w 240v Life 6000HRS IP54 G5		General Floodlighting
<b>CSF60</b>		60W 240v Life 6000HRS IP54 G5		General Floodlighting
<b>ESL TUBE-60</b>		60w 240v Life 6000HRS G5 color : red white yellow blue green purple color temp: 2700~6400		Lamp replacements
<b>ESL TUBE-36</b>		36w 240v Life 6000HRS G5 color : red white yellow blue green purple color temp: 2700~6400		Lamp replacements
<b>ESL TUBE-28</b>		28w 240v Life 6000HRS G5 color : red white yellow blue green purple color temp: 2700~6400		Lamp replacements
<b>THR15/78 THR28/118 THR53/189</b>		15W-28W -52W 240v Life 5000HRS	replace halogen 78MM-118mm - 189MM tube	Qi lamp retro fit

# EXAMPLES OF WHERE LAMPS CAN BE USED

## ESL FLOOD LIGHT


Chinese Patent:

ZL200420073635.6

ZL200620129394.1

ZL200620112470.8

ZL200620122382.6



# ESL FLOOD LIGHT

Chinese Patent:

ZL200420073635.6

ZL200620129394.1

ZL200620112470.8

ZL200620122382.6



# Single Sprial Lamp & Flood Lights

## HIGHLIGHTS

High efficiency, low temperature quick start up.

## Applications

To replace 150 watt halogen to 500 watt halogen (quartz) (retro fit).

## Flood Lights

General flood lighting



Model	Wattage	Life	To Fit
<b>THR15/78</b>	15	5000 hrs	78mm 150 w hal
<b>THR28/118</b>	28	5000 hrs	118mm 500 w hal
<b>THR52/189</b>	52	5000 hrs	189mm 1000 w hal



Model	Wattage	Life	IP
<b>CSF36</b>	36	8000 hrs	54
<b>CSF60</b>	60	8000 hrs	54

